

# The marine touch for your shade sails

Furlers for shade sails

Furling systems for outdoor living space: choose precision, reliability, weight saving and minimalist design taken from the yachting world.







hada sail furlar

Facnor, established pioneers in flying sail furlers for off-shore race yachts, have adapted their furling systems for garden shade sail furling.

The **fxsun** furlers, fitted with anti-twist rope are easy to use and have become a unique solution for in and out furling shade sails.

With the **fxsun** furlers you can safely shade your garden according to weather conditions\*, either totally or partially.

Protect yourself from the sun while reading, working from home or while your children play.

Following the example of Facnor race developed equipment used to sail around the world, these highly reliable mechanisms – made of stainless steel and aluminium — are manufactured with the same requirement and precision that has built our reputation for more than 30 years.

Their classic design brings a marine touch to your outdoor living space.





\*Consult the precautions for using the furler







thetic, easy to use, long lasting

## Easy to use

- Simple manipulation for furling in and out
- Fast and secure storageMaintenance free and no electrical installation required



- The mechanism set.
- One drum 1, one swivel 9, 2 shackles 2
- The AT rope set,
- Anti-twist rope + 2 stainless steel thimbles 3,
- The furling line set,
- Spliced furling line 4, round thimble 5, Sheet (furling in) 11, bungee rope 6,

eye strap 7, cleat 8

**Option:** tensioning device kit 10.



- In/Out: to furl, release the sheets (11), pull the furling line (4). Then secure by attaching line and sheets (8).
- One advantage over fixed sails: the furled and secured shade sail can be left fitted above the terrace\*

### Long lasting

Shade sail furlers



- Corrosion resistant materials (anodized aluminium, stainless steel)
- Ideal for exposed/windy locations
- Inspired by furlers tested at sea
- Specially developed for shade sail storage




#### The $f\bar{x}$ sun range:

• 3 models available for small and larger areas :

Furler model	Safe working load	Sail area	Length	Diam
<b>f</b> ₹sun 90	400 kg	15 m²	4 m	8 mm
<b>f</b> ₹sun 150	600 kg	25 m <sup>2</sup>	7 m	8 mm
<b>f</b> ₹sun 250	1000 kg	35 m²	10 m	11 mm

- can furl different shade sail shapes. The AT rope is positioned:
  - following the diagonal of the shade sail (rectangular shape  $\mathbf{A}$ ),
  - following the longest side of the shade sail (triangular shape B)

#### Unfurled shade sail



Furled shade sail



Shade sail furlers



Facnor 10, rue du pont des bernes Parc d'activité 50550 ST VAAST LA HOUGUE FRANCE

+33 (0)2 33 88 50 22 info@facnor.com

www.**facnor**.com







